PAPATYA®

SLIM-X COLLECTION



PAPATYA®

www.papatya.com.tr

A pure and stikingly simple image, with a cross shaped base in natural and joyful colors. Each colour has matched with best table top.







PAPATYA®

CARDBOARD PACKAGE

www.papatya.com.tr







PAPATYA®


SLIM X


www.papatya.com.tr




350 Table base

Applicable Table Tops







790x790




790




351 Table base







690x690
590x590




690 / 590




352 Side table base






690x690
590x590



690 / 590



* Dimensions are in mm.


PAPATYA®


SLIM X

www.papatya.com.tr


353 Side table base

Applicable Table Tops







690x690
590x590




690 / 590




354 Bar table base







690x690
590x590



690 / 590




355 Bar table base







1390x790
1390x1190
1190x690




356 Twin table base





690x590(x2)



* Dimensions are in mm.

PAPATYA®

SLIM X

www.papatya.com.tr

Material

Base

30x30x2mm powder coated steel profile
strengthened against rusting and scratches with cataphoresis application

Column

45x45 powder coted steel profile, strengthened against rusting and scratches with cataphoresis application

Available Colours

- **101** White Powder Coated (mat)
- **102** Black Powder Coated (mat)
- **103** Anthracite Powder Coated (mat)
- **104** Taupe Powder Coated (mat)
- **111** Brick Red Powder Coated (mat)
- **112** Green Powder Coated (mat)
- **110** Yellow Powder Coated (mat)
- **115** Grey Powder Coated (mat)

Cleaning & Meaintanence

Should be cleaned with detergent and a soft damp cloth. Should not be cleaned with abrasive chemicals.

No periodic maintenance required.

Certification, labels, warranty

High level outdoor Resitance


Corrosion Resistant

2 Years Warranty

Cataphoresis Coating

Recommended Base Position

We always recommend that for the center base you attach the base to the top so the legs follow the diogonal of the top. If you choose to fix your tops to the base with the legs in cross direction, you need to use one size smaller bases than recommended for square tops otherwise the legs will be wider then the top



correct incorrect