


# EVA R Sunlounger



## MAIN CHARACTERISTICS

- Stackable sunlounger made of polypropylene (PP)
- Made without fiberglass
- Designed for the professionals, beach, hotels & resorts, private clubs and others facilities.
- Its ergonomic design allows for a safe and comfortable rest.
- Fabric easy to replace.
- Auto-tensed system using an elastic cord that facilitates the fabric recovery.
- High resistance frame. Support statics load of 130kg.
- 3 years warranty for the frame.
- 2 years warranty for the fabric.



## MATERIALS

**FRAME:** Reinforced mineral filled polypropylene (PP) composed by two independent resin halves. Their joining is reinforced with an inner galvanized metal tube. Anti-UV treatment.

Weight: 10 Kg.

**Elastic cord:** Made of a latex core (69%) coated with polypropylene (31%). 7.2 mm diameter, 3.87 g/m<sup>3</sup> density. Resistance to breakage: 130 kg. Finished with an injected plastic end.

Weight: 0.15 Kg.

## BALLIU FABRIC

Breathable fabric constructed with double weft and double warp, 1.25 mm thick and 870 g/m<sup>2</sup> density.

Made of a continuous polyester thread core (30%) coated with PVC (70%).

Light resistance index 8.

Long-lasting anti-microbial protection, avoiding bad smells and stains caused by moisture.

Finished with a heat-setting process which prevents the fabric from tearing.

Made by means of thermal welding, to prevent it from tearing.

The eyelets are made of stainless steel.

Fire retardant as per standard **EN-1021-2:2015**.

Weight: 1.35kg.

## SECURITY

Safety and resistance test Standard ASTM F1988-99 approved.

## COLORS

### Frame

#### Resin Basic



White

#### Resin Natural



Sand

### Fabric

#### Basic fabric



01/00



02/00



03/00



04/00



07/00



10/00



12/00



15/00



16/00



19/00



21/00



30/00



32/00



36/00



37/00



38/00



40/00



50/00



01/07



61/00

#### Mesh fabric



99/01



99/20





99/30

## MEASURES

### Product

A	77 cm
B	57 cm
C	194 cm
D	37 cm
Weight:	11,5 kg



### Packaging

Type:	Pallet
Units:	14
Measures:	200 x 78 x 192cm.
Weight:	188,5 Kg
Volume:	2,79 m <sup>3</sup>

### Capacidad carga

Trailer mega:	520 u.	5.980 Kg
20' Container:	160 u.	1.840 Kg
40' Container:	330 u.	3.795 Kg
40' HC Container:	400 u.	4.600 Kg

## MAINTENANCE SCHEDULE

**Weekly:** Visual check of the general condition of the sunlounger, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

**Monthly:** Check fabric tension. Check the structural strength and stability.

**Yearly:** Check the condition of the fabric and ensure it is correctly tensed. Replace any worn or damaged parts.

**Wintering and storage:** Clean with soapy water and a soft cloth. Remove damp stains, sand and seawater. Store horizontally in a dry place in stacks of 10 units.

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the sunlounger is subject to heavy use, maintenance checks must be carried out more frequently.



**BALLIUEXPORT SA**  
 Ctra. C-35 Km. 93.5 - 17455 Caldes de Malavella (Girona) Spain  
 Tel. + 34 972 39 71 00 - Fax. +34 972 39 71 01  
[www.balliuexport.com](http://www.balliuexport.com) – [Info@balliuexport.com](mailto:Info@balliuexport.com)



- Do not use the sunlounger until maintenance is completed.
- Consult the maintenance instructions.
- Do not use aggressive chemicals to clean the sunlounger. Always use products with a neutral pH.
- Use a soft cloth to clean the sunlounger.



**BALLIUEXPORT SA**  
Ctra. C-35 Km. 93.5 - 17455 Caldes de Malavella (Girona) Spain  
Tel. + 34 972 39 71 00 - Fax. +34 972 39 71 01  
[www.balliuexport.com](http://www.balliuexport.com) – [Info@balliuexport.com](mailto:Info@balliuexport.com)

